

STORM DOORS



home

[we make front doors better]



www.LARSONdoors.com



Our doors are built in the USA to protect what matters, creating that great space where your family feels safe, comfortable and protected.

Storm Doors for Every Home

LARSON® storm doors are available in styles and ventilating options to make your home more comfortable. Choose from Screen Away® retractable screens that disappear when not in use or convenient built-in screen options.

Consider Low-E

Several storm doors are available with Low-E glass. Low-E (low emissivity) glass contains an extremely durable coating that minimizes the amount of infrared energy that passes through without compromising the amount of visible light that shines in. Low-E glass reduces interior fading and has a dramatic impact on the comfort of your home.

Protection

Storm doors protect your entry door and provide an additional layer of security between your home and unwelcome guests.

Installation

LARSON storm doors are available with two installation methods that require no cutting. EasyHang® includes one-step hanging with pre-drilled placement holes and adjustable height for an exact fit. The Platinum Collection is pre-assembled for effortless installation. Out of box and on your home in minutes.

The Low-E Advantage



Keep rooms warmer in the winter by minimizing heat loss.



Keep rooms cooler in the summer by reflecting the sun's heat.



U.S. Department of Energy recommends Low-E to improve energy efficiency.

Learn more

Visit us at LARSONdoors.com for a comprehensive list of products available to make your home more comfortable.



The fast install.

No experience necessary with our pre-assembled doors. Simply add your QuickFit™ handle, place frame on the opening, and secure in minutes*. Relax, you got this!

Beautiful protection for your home.

The modern design of the Platinum series is both innovative and attractive. It is a one-of-a-kind blend of technology and luxury with a built-in hidden closer and multi-point locking. From open to close, Platinum is the ultimate storm door with added security features and better operation. Backed by a Limited Lifetime warranty.



Platinum IFG
Interchangeable Full Glass
459-04E* 459-04

Includes screen for seasonal venting.



Platinum RS
Retractable Screen
456-04E* 456-04

Screen Away® hides in top cassette when not in use.



Platinum SG
Secure Glass
449-04

Dominator™ shield between laminated glass keeps intruders out.



Platinum SCR
Secure Screen
450-18

Dominator .032 stainless steel wire mesh screen is built to withstand more than 1,000 lbs/in of force.

Includes Break-In Protection Warranty.



	MODEL	SIZE	
Platinum IFG	459-04E Low-E	32" x 81" 36" x 81"	<p>Pre-Hinged Select Left Hinge (right hand) or Right Hinge (left hand) as viewed from outside.</p>
	459-04		
Platinum RS	456-04E Low-E	CUSTOM SIZES	
	456-04		
Platinum SG	449-04		
Platinum SCR	450-18		






Seasonal Venting

Maximize your view with our beautiful fullview storm doors.



149FVE Low-E
149FV Clear



Pet Door
149PV
Screen not available



Double Bevel
149BV



Elegant Bevel
149EBV



ELEGANT SELECTION	SIZE	SPECIAL STANDARD	CUSTOM
149FVE Low-E	32" x 81" 36" x 81"		✓
149FV Clear		30" x 81" 34" x 81" White	✓
149PV Pet Door			
149BV Double Bevel			
149EBV Elegant Bevel		36" x 81"	




QuickFit Choose your handle SOLD SEPARATELY

Straight: Matte Black, Brushed Nickel, Aged Bronze
Curved: Brushed Nickel, Aged Bronze, Antique Brass, Brass, White, Brown, Sandstone



* 149FVE features Low-E glass for improved insulation and less fading.




Ventilation
Window and screen interchange for seasonal venting




Durability
Premium frame construction with 1-5/8" thick aluminum



Protection
Overlapping frame and two closers provide a tight seal




Convenience
Two closers with hold-open button keeps the door open



Finish
Installation screw covers conceal exterior screws

Enjoy it all!

Screen Away® technology for both venting and clear views.




146FVE Low-E*
146FV Clear

Midview
146MV

Pet Door
146PV

Highview
146HV

Bevel
146BV





Colors vary by model

EASYVENT® SELECTION	SIZE	SPECIAL STANDARD	CUSTOM
146FVE Low-E	32" x 81" 36" x 81"	34" x 81" White	✓
146FV Clear		30" x 81" White only	✓
		34" x 81" White, Sandstone	
146MV Midview		34" x 81" White, Sandstone	
149PV Pet Door			
146HV Highview			
146BV Bevel	36" x 81"		


QuickFit™ Choose your handle SOLD SEPARATELY

Straight: Matte Black, Brushed Nickel, Aged Bronze
Curved: Brushed Nickel, Aged Bronze, Antique Brass, Brass, White, Brown, Sandstone

 * 146FVE features Low-E glass for improved insulation and less fading.




Ventilation
Convenient retractable screen provides any time venting




Durability
Premium frame construction with 1-7/8" thick aluminum



Protection
Overlapping frame and two closers provide a tight seal



Convenience
Two closers with hold-open button keeps the door open



Finish
Installation screw covers conceal exterior screws

Your Pet Door Headquarters!

Adding a pet door just got easier. The pet friendly selection of storm doors feature a factory-installed pet door. Guaranteed to keep your pet happy and make your life easier. The inside security panel keeps intruders out.



**Elegant Selection
Fullview Pet Door
149PV**

8W x 12H Opening
Fits pets up to 40 lbs.
Handle sold separately
Screen not available



**EasyVent® Selection
Retractable Screen
Pet Door
146PV**

8W x 12H Opening
Fits pets up to 40 lbs.
Handle sold separately



**Pet View
All-Metal
Pet Door 360-79**

10W x 17H Opening
Fits pets up to 100 lbs.




**Pet Breeze
All Metal
Screen Door 360-49**

10W x 17H Opening
Fits pets up to 100 lbs.



**Wood Core
Pet Door 370-79**

10W x 17H Opening
Fits pets up to 100 lbs.



**Wood Core
Pet Door XL 370-78**

14W x 23H Opening
Fits pets up to 220 lbs.



MODEL	SIZE	CUSTOM	COLORS
Fullview 149PV	32" x 81" 36" x 81"		All colors
Retractable Screen 146PV			
Pet View 360-79			White, Brown
Pet Breeze 360-49			
Pet Door 370-79		✓	White, Almond
Pet Door 370-78		✓	





Clear
350-17
350-04



Double Bevel
350-14
350-13



Bottom Vent
360-NV



Wood Core
274-FL

Bring natural light into your home to let kids and pets see out. These durable aluminum and wood core doors are available with interchangeable glass and screen (350 series, 274-FL) or a bottom vent panel (360-NV). Handle styles and finishes vary by model.



MODEL	SIZE	CUSTOM	COLOR
360-NV	32" x 81" 36" x 81"		White, Sandstone, Brown
350-14 Brushed Nickel 350-13 Brass	32" x 81" 36" x 81"		White, Almond, Sandstone, Brown, Black
350-17 Brushed Nickel 350-04 Brass	32" x 81" 36" x 81"	✓	White, Almond, Sandstone, Brown, Black
274-FL	32" x 81" 36" x 81"	✓	White, Almond, Sandstone, Brown



The Convenience of Screen Away®

Our top performing wood core retractable screen storm doors include features like magnetic weatherstrip that seals tight like a refrigerator for increased energy efficiency (830, 691 series). Most doors include your choice of handle finish.



830-82
830-85
830-80

691-52*
691-55*
691-90*

370-81



* 691 doors feature keyed lock



356-52
356-60

Durable Aluminum Frame

1-3/8" thick frame is maintenance-free and includes heavy-duty weatherstrip. Includes designer screw covers that conceal exterior screws. Available with a brushed nickel or brass lever.




MODEL	SIZE	CUSTOM	COLOR
830-82 Brushed Nickel	32" x 81"		
830-85 Aged Bronze	36" x 81"	✓	White, Almond, Sandstone, Brown
830-80 Brass	34" x 81"		
691-52 Brushed Nickel	32" x 81"		
691-55 Aged Bronze	36" x 81"	✓	White, Sandstone, Brown
691-90 Brass	36" x 81"		
370-81 Color-Match Lever	32" x 81" 36" x 81" 30" x 81"		White, Almond
356-52 Brushed Nickel	32" x 81"		White
356-60 Brass	36" x 81"		

Top or Bottom Venting

Storm doors at a great value with built-in glass and screen combinations for convenient venting.

ALL-METAL FRAME




Push Button Handle
660-16 Midview
660-18 Highview



Lever Handle
360-16 Midview
360-18 Highview


WOOD CORE



DuraTech®
370-50



DuraTech
237-CF Midview



DuraTech
233-ST Highview



MODEL	SIZE	COLOR
360-18, 660-18	32" x 81" 36" x 81"	White, Brown
360-16, 660-16	30" x 81" 32" x 81" 34" x 81"*	White, Brown
370-50	36" x 81"	White, Brown
237-17 Brushed Nickel 237-07 Brass	32" x 81"	White, Almond, Sandstone, Brown
233-17 Brushed Nickel 233-07 Brass	36" x 81"	White, Almond, Sandstone, Brown

* 34" widths: 360-16, 660-16 White only





Built to Perform

These insulating storm doors feature a solid core with a weather-resistant DuraTech®, durable aluminum or vinyl surface.



Multi-Vent
DuraTech
271-TT



Multi-Vent
DuraTech
830-46



Single-Vent
DuraTech
830-14

Choose from two traditional venting options: multi-vent with full screen or bottom vent screen.




Single-Vent
DuraTech
278-SS



Single-Vent
288-SS Aluminum
298-SS Vinyl



Single-Vent
283-ST Aluminum
293-ST Vinyl



Single-Vent
Aluminum
286-SX



Single-Vent
DuraTech
380-05



MODEL	SIZE	SPECIAL STANDARD	CUSTOM	COLOR
271-TT Multi-Vent	32" x 81" 36" x 81"	30" x 81" 34" x 81" 36" x 85" <small>White only</small>	✓	White, Almond, Sandstone, Brown
830-46 Multi-Vent				White, Brown
830-14 Single-Vent			✓	White, Brown

MODEL	SIZE	SPECIAL STANDARD	CUSTOM	COLOR
278-SS DuraTech	32" x 81" 36" x 81"	30" x 81" 34" x 81" 32" x 85" 36" x 85" <small>White only</small>	✓	White, Almond, Sandstone, Brown
288-SS Aluminum		30" x 81" 34" x 81"		White, Brown
298-SS Vinyl		30" x 81" 34" x 81"		White
283-ST Aluminum 286-SX		30" x 81"		White, Brown
293-ST Vinyl				White
380-05* Mobile Home Door		32" x 75" 30" x 75"		

* 380-05 additional sizes available



This is no ordinary screen door! The durable frame and WearTuff® screen are built to withstand up to 300 lbs. of static force and includes handle, closer, and hinges.

Screen Door
360-48



MODEL	SIZE	CUSTOM	COLOR
360-48 Screen Door	32" x 81" 36" x 81"	✓	White, Brown

screen upgrades



SUNTEX® 80
Shading fabric in 3 colors




PetScreen®
7X stronger




No-See-Um
tight mesh





RECORD YOUR MEASUREMENTS

A	WIDTH
B	WIDTH
C	WIDTH
D	HEIGHT



Door Sizes	Min-Max Doorway Width	Min-Max Doorway Height
30" x 81"	29 7/8" to 30 3/8"	80" to 81"
32" x 81"	31 7/8" to 32 3/8"	
34" x 81"	33 7/8" to 34 3/8"	
36" x 81"	35 7/8" to 36 3/8"	




Size availability varies by model.
CUSTOM SIZES available in select models.

MOUNTING GUIDE

PLATINUM COLLECTION (Surface Mount)


The rails mount directly to the face of the exterior brickmold and require a 3/4" wide mounting surface. Determine hinge side as viewed from outside.



NOTE: construction styles may vary.

STORM DOORS (Recess Mount)

The rails mount inside the opening and require a 1" wide by 1" deep mounting surface.



NOTE: construction styles may vary.





Habitat
for Humanity®

Proud partner with Habitat for
Humanity International.

™ Trademark, LARSON Manufacturing Company, Brookings, SD, U.S.A. © 2021
Larson Manufacturing Company. Printed in the U.S.A. LARSON reserves the right
to alter or discontinue any model, specification, warranty or price without notice.
Door colors shown are approximate; actual color may vary. 09502100

www.LARSONdoors.com